

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

H-1000 Hairdressing Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	P-006	1.0 pet	p-Phenylenediamine (PPD				
2	D-002	1.0 pet	Toluene-2,5-diamine sulfate / (2,5-Diaminotoluene sulfate)				
3	N-004	1.0 pet	2-Nitro-p-phenylenediamine / (2-Nitro-4-phenylenediamine)				
4	A-012	2.5 aq	Ammonium thioglycolate				
5	A-011	2.5 pet	Ammonium persulfate				
6	F-002B	2.0 aq	Formaldehyde				
7	N-002A	5.0 pet	Nickelsulfate hexahydrate				
8	C-017A	1.0 pet	Cobalt(II) chloride hexahydrate				
9	R-001	1.0 pet	Resorcinol				
10	A-008	1.0 pet	3-Aminophenol				
11	A-009	1.0 pet	4-Aminophenol				
12	H-006	3.0 aq	Hydrogen peroxide				
13	H-007	1.0 pet	Hydroquinone				
14	B-001	25.0 pet	Myroxylon pereirae resin / (Balsam Peru)				
15	C-006	0.2 pet	Chloroacetamide / (2-Chloroacetamide)				
16	G-004	1.0 pet	Glyceryl monothioglycolate (GMTG)				
17	C-018	1.0 aq	Cocamidopropylbetaine				
18	C-009B	0.02 aq	Methylisothiazolinone + Methylchlorisothiazolinone / (Cl+-Me-isothiazolinone (Kathon CG 200ppm))				
19	B-015A	0.25 pet	2-Bromo-2-nitropropane-1,3-diol (Bronopol)				
20	C-025	0.5 pet	Captan				
21	C-008	1.0 pet	p-Chloro-m-cresol / (4-Chloro-3-cresol (PCMC))				
22	C-010A	0.5 pet	Chloroxylenol (PCMX) / (4-Chloro-3,5-xyleneol (PCMX))				
23	I-001A	2.0 pet	Imidazolidinyl urea Germall 115)				
24	C-007A	1.0 pet	Quaternium-15 (Dowicil 200) / (1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride)				
25	Z-006	1.0 pet	Zinc pyrithione (Zinc Omadine)				
26	D-044A	2.0 pet	Diazolidinylurea (Germall II)				
27	L-004	3.0 pet	lauryl polyglucose				
28	O-005	0.1 aq	Oleamidopropyl dimethylamine				
29	D-065	5.0 pet	Decyl Glucoside				
30	T-049	1.0% pet	TOLUENE-2,5-DIAMINE				
31	A-039	1.0% pet	4-AMINO-2-HYDROXYTOLUENE				
32	C-052	0.5% pet	CYSTEAMINE HCL				
33	M-039	1.0% pet	2-METHYLRESORCINOL				

PATCH TESTING : PATIENT TEST RESULTS

CHEMOTECHNIQUE® DIAGNOSTICS
First in Patch Testing... Since 1981
DORMER LABORATORIES INC.
www.dormer.com

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

H-1000 Hairdressing Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
34	H-033	2.0%	HYDROXYETHYL-p-PHENYLENEDIAMINE SULFATE				
35	M-040	1.0% pet	p-METHYLAMINOPHENOL				
36	C-050	05 pet	CETRIMONIUM BROMIDE				
37	S-011	1.0 pet	sodium metabisulfite				
38	P-042	5.0% pet	PANTHENOL				