

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

EP-1000 European Photopatch Baseline Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	H-014C	10.0% pet	BENZOPHENONE-3				
2	H-023C	2.0% pet	BENZOPHENONE-4				
3	M-024B	10.0% pet	4-METHYLBENZYLIDENE CAMPHOR				
4	E-019C	10.0% pet	ETHYLHEXYL METHOXYCINNAMATE				
5	O-009	10.0% pet	OCTOCRYLENE				
6	I-009	10.0% pet	ISOAMYL p-METHOXYCINNAMATE				
7	A-006C	10.0% pet	PABA				
8	B-029C	10.0% pet	BUTYL METHOXYDIBENZOYLMETHANE				
9	B-037	10.0% pet	BIS-ETHYLHEXYLPHENOL METHOXYPHENOL TRIAZINE				
10	D-055	10.0% pet	DROMETRIZOLE TRISILOXANE				
11	K-002B	1.0% pet	Ketoprofen				
12	D-062	10.0% pet	2-(4-Diethylamino-2-hydroxybenzoyl)-benzoic acid hexylester				
13	O-010	10.0% pet	ETHYLHEXYL TRIAZONE				
14	M-037	10.0% pet	Methylene bis-benzotriazolyl tetramethylbutylphenol				
15	E-025	2.0% pet	Etofenamate				
16	D-063	10.0% pet	DIETHYLHEXYL BUTAMIDO TRIAZONE				
17	P-033	1.0% pet	Piroxicam				
18	B-041	2.0% pet	Benzylamine hydrochloride				
19	P-017B	0.10% pet	Promethazine hydrochloride				
20	D-065	5.0% pet	DECYL GLUCOSIDE				

Notes
