

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

IS-1000 International Standard Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	P-014A	0.5% pet	Potassium dichromate				
2	N-001	20.0% pet	Neomycin sulfate				
3	Mx-01	1.0% pet	Thiuram mix				
4	P-006	1.0% pet	p-PHENYLENEDIAMINE (PPD)				
5	F-002B	2.0% aq	FORMALDEHYDE				
6	C-020	20.0% pet	COLOPHONIUM				
7	B-001	25.0% pet	MYROXYLON PEREIRAE RESIN				
8	W-001	30.0% pet	LANOLIN ALCOHOL				
9	Mx-05A	2.0% pet	Mercapto mix				
10	E-002	1.0% pet	Epoxy resin, Bisphenol A				
11	B-024	1.0% pet	4-tert-Butylphenolformaldehyde resin (PTBP)				
12	Mx-07	8.0% pet	Fragrance mix I				
13	N-002B	2.5% pet	Nickel(II)sulfate hexahydrate				
14	M-003A	2.0% pet	2-Mercaptobenzothiazole (MBT)				
15	B-033B	0.01% pet	Budesonide				
16	C-007B	2.0% pet	QUATERNIUM-15				
17	C-009B	0.02% aq	METHYLISOTHIAZOLINONE+ METHYLCHLOROISOTHIAZOLINONE				
18	I-001B	2.0 aq	IMIDAZOLIDINYL UREA				
19	T-031B	0.1% pet	Tixocortol-21-pivalate				
20	D-049A	0.3% pet	METHYLDIBROMO GLUTARONITRILE				
21	Mx-06	3.0% pet	Carba mix				
22	C-017A	1.0% pet	Cobalt(II)chloride hexahydrate				
23	Mx-29A	5.0% pet	Compositae mix II				
24	D-044A	2.0% pet	DIAZOLIDINYL UREA				
25	Mx-25	14.0% pet	Fragrance mix II				
26	H-021B	1.0% pet	Hydrocortisone-17-butyrate				
27	L-003	5.0% pet	HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE				
28	I-004	0.1% pet	N-Isopropyl-N-phenyl-4-phenylenediamine (IPPD)				
29	Mx-03C	16.0% pet	Paraben mix				
30	Mx-18	0.1% pet	Sesquiterpene lactone mix				
31	T-010	10.0% pet	Toluenesulfonamide formaldehyde resin				
32	M-035B	0.2% aq	METHYLISOTHIAZOLINONE				

Notes