

# PATCH TESTING : PATIENT TEST RESULTS

Patient Name: \_\_\_\_\_ ID#: \_\_\_\_\_

Panel Placement: \_\_\_\_\_ (date/time) Panel Removal: \_\_\_\_\_ (date/time)

Read Date #1: \_\_\_\_\_ Read Date #2: \_\_\_\_\_ Read Date #3: \_\_\_\_\_ Read Date #4: \_\_\_\_\_

MET-1000 Metal Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	Z-001	2.5% pet	Zinc				
2	M-005	0.5% pet	Mercury				
3	M-004	0.1% pet	Mercury(II)chloride				
4	A-022	2.0% pet	Aluminium(III)chloride hexahydrate				
5	M-022	1.0% pet	Mercury(II)amidochloride				
6	A-021	100	Aluminium				
7	P-001	2.0% pet	Palladium(II)chloride				
8	G-005B	2.0% pet	Gold(I)sodium thiosulfate dihydrate				
9	C-022	2.0% pet	Copper(II)sulfate pentahydrate				
10	G-005A	0.5% pet	Gold(I)sodium thiosulfate dihydrate				
11	C-021	5.0% pet	Copper(I)oxide				
12	T-008	50.0% pet	Tin				
13	I-012	1.0% pet	Iridium(III)chloride trihydrate				
14	I-014	1.0% pet	Iridium				
15	I-015	1.0% pet	Indium				
16	T-039	5.0% pet	Titanium(III)nitride				
17	T-040	10.0% pet	TITANIUM DIOXIDE				
18	Z-007B	1.0% pet	ZINC CHLORIDE				
19	T-041	5.0% pet	Titanium(III)oxalate decahydrate				
20	C-049	10.0% pet	CALCIUM TITANATE				
21	T-042	10.0% pet	Titanium				
22	V-002	5.0% pet	Vanadium				
23	M-030	5.0% pet	Molybdenum				
24	V-003	1.0% pet	Vanadium(III)chloride				
25	M-031	2.0% pet	MANGANESE CHLORIDE				
26	S-014	1.0% pet	Tin(II)oxalate				
27	Z-008	1.0% pet	Zirconium(IV)chloride				
28	T-043	5.0% pet	Tungsten				
29	I-016	2.0% pet	FERRIC CHLORIDE				
30	P-008	0.01 aq	PHENYL MERCURIC ACETATE				
31	P-015	0.1 aq	Potassium dicyanoaurate(I)				
32	S-007	1.0 aq	SILVER NITRATE				
33	C-001	1.0 aq	Cadmium chloride				
34	A-034	0.1 aq	Ammonium hexachloroiridate(IV)				
35	I-011	10.0 aq	Indium(III)chloride				

