

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

NA-1000 North American Baseline Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	B-004	5.0 pet	Benzocaine				
2	M-003B	1.0 pet	2-Mercaptobenzothiazole (MBT)				
3	C-020	20.0 pet	Colophonium / (Colophony)				
4	P-006	1.0 pet	p-Phenylenediamine (PPD				
5	I-001A	2.0 pet	Imidazolidinyl urea Germall 115)				
6	C-014	1.0 pet	Cinnamal / (Cinnamic aldehyde)				
7	A-004	50.0 pet	Amerchol L 101				
8	MX-06	3.0 pet	Carba mix				
9	N-001	20.0 pet	Neomycin sulfate				
10	MX-01	1.0 pet	Thiuram mix				
11	F-002B	2.0 aq	Formaldehyde				
12	E-005	1.0 pet	Ethylenediamine dihydrochloride				
13	E-002	1.0 pet	Epoxy resin Bisphenol A				
14	C-007B	2.0 pet	Quaternium-15 (Dowicil 200) / (1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride)				
15	B-024	1.0 pet	4-tert-Butylphenolformaldehyde resin				
16	MX-05B	1.0 pet	Mercapto mix				
17	I-004	0.1 pet	N-Isopropyl-N-phenyl--4-phenylenediamine				
18	P-014B	0.25 pet	Potassium dichromate				
19	B-001	25.0 pet	Myroxylon pereirae resin / (Balsam Peru)				
20	N-002B	2.5 pet	Nickelsulfate hexahydrate				
21	D-044C	1.0 pet	Diazolidinylurea (Germall II)				
22	D-047B	1.0 pet	DMDM Hydantoin				
23	B-032B	20.0 pet	Bacitracin				
24	MX-24	1.0 pet	Mixed dialkyl thiourea				
25	C-009B	0.02 aq	Methylisothiazolinone + Methylchlorisothiazolinone / (Cl+-Me-isothiazolinone (Kathon CG 200ppm))				
26	MX-03A	12.0 pet	Paraben Mix				
27	D-049E	0.5 pet	Methyldibromo glutaronitrile (MDBGN)				
28	MX-07	8.0 pet	Fragrance mix				
29	G-003B	0.5 pet	Glutaral / (Glutaraldehyde)				
30	B-015B	0.5 pet	2-Bromo-2-nitropropane-1,3-diol (Bronopol)				
31	MX-18	0.1 pet	Sesquiterpene lactone mix				
32	MX-25	14.0 pet	Fragrance Mix II				
33	P-019B	30.0 aq	Propylene glycol				

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

NA-1000 North American Baseline Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
34	H-014C	10.0 pet	Benzophenone-3 / (2-Hydroxy-4-methoxybenzophenone)				
35	C-010B	1.0 pet	Chloroxylenol (PCMX) / (4-Chloro-3,5-xyleneol (PCMX))				
36	MX-16	5.0 pet	Ethyleneurea, melamine formaldehyde mix				
37	I-008C	0.2 pet	Iodopropynyl butyl carbamate				
38	MX-26	1.0 pet	Disperse Blue 106/124 Mix				
39	E-004	0.1 pet	Ethyl acrylate				
40	G-004	1.0 pet	Glyceryl monothioglycolate (GMTG)				
41	T-010	10.0 pet	Toluenesulfonamide formaldehyde resin				
42	M-013	2.0 pet	Methyl methacrylate				
43	C-017A	1.0 pet	Cobalt(II) chloride hexahydrate				
44	T-031B	0.1 pet	Tixocortol-21-pivalate				
45	B-033B	0.01 pet	Budesonide				
46	MX-29A	5.0 pet	Compositae Mix II				
47	H-021B	1.0 pet	Hydrocortisone-17-butyrate				
48	D-012	4.5 aq	Dimethylol dihydroxyethyleneurea(Fix.CPN)				
49	C-018	1.0 aq	Cocamidopropylbetaine				
50	M-035B	0.2 aq	METHYLISOTHIAZOLINONE				

Notes
