

# PATCH TESTING : PATIENT TEST RESULTS

Patient Name: \_\_\_\_\_ ID#: \_\_\_\_\_

Panel Placement: \_\_\_\_\_ (date/time) Panel Removal: \_\_\_\_\_ (date/time)

Read Date #1: \_\_\_\_\_ Read Date #2 \_\_\_\_\_ Read Date #3 \_\_\_\_\_ Read Date #4: \_\_\_\_\_

TF-1000 Textile Colours & Finish				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	D-036	1.0 pet	Disperse Yellow 3				
2	D-032	1.0 pet	Disperse Orange 3				
3	D-034	1.0 pet	Disperse Red 1				
4	D-035	1.0 pet	Disperse Red 17				
5	D-029	1.0 pet	Disperse Blue 153				
6	D-026	1.0 pet	Disperse Blue 3				
7	D-027	1.0 pet	Disperse Blue 35				
8	D-012	4.5 aq	Dimethylol dihydroxyethyleneurea( Fix.CPN)				
9	D-052	4.5 aq	Dimethyl dihydroxyethyleneurea (Fix.NF)				
10	D-050	5.0 aq	Dimethylol dihydroxyethyleneurea,modified (Fix ECO)				
11	D-040	1.0 pet	Disperse Blue 106				
12	MX-16	5.0 pet	Ethyleneurea, melamine formaldehyde mix				
13	U-001	10.0 pet	Urea formaldehyde (Kaurit S)				
14	M-001	7.0 pet	Melamine formaldehyde (Kauri M70)				
15	D-028	1.0 pet	Disperse Blue 85				
16	D-031	1.0 pet	Disperse Orange 1				
17	A-026	5.0 pet	Acid Yellow 61				
18	D-030	1.0 pet	Disperse Brown 1				
19	D-037	1.0 pet	Disperse Yellow 9				
20	D-041	1.0 pet	Disperse Blue 124				
21	B-026	1.0 pet	Basic Red 46				
22	R-004B	1.0 pet	Reactive Black 5				
23	R-005B	1.0 pet	Reactive Blue 21				
25	R-007B	1.0 pet	Reactive Orange 107				
26	R-008B	1.0 pet	Reactive Red 123				
27	R-009B	1.0 pet	Reactive Red 238				
28	R-010B	1.0 pet	Reactive Red 228				
29	R-011B	1.0 pet	Reactive Violet 5				
30	A-027	5.0 pet	Acid Red 118				
31	D-051	5.0 pet	Direct Orange 34				
32	A-028	5.0 pet	Acid Red 359				
33	MX-26	1.0 pet	Disperse Blue 106/124 Mix				
34	MX-30	6.6 pet	Textile dye mix				

**Notes**