



## SAFETY DATA SHEET

P-014A

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	Potassium dichromate 0.5% pet
Article Number	P-014A
Applications	Diagnosis of contact allergy.
Manufacturer	Chemotechnique Diagnostics AB Modemgatan 9 SE-235 39 Vellinge
Telephone	+46 (0) 40 466 077 (Monday-Friday 8.00-16.00)
Fax	+46 (0) 40 466 700

## 2. HAZARD IDENTIFICATION

**Health hazards**

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

**Signs and symptom of exposure**

Dermal irritation.

**Medical conditions aggravated by exposure**

Dermatitis.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]**

Component	CAS-No.	Content	Classification
Petrolatum	8009-03-8	99.5%	- Oxidiz. Sol. 2, Carcinog. 1B, Germ cell mut. 1B, Repr. tox.1B, Acute tox. Inhal. 2, Acute tox. Oral 3, Spec. targ. Org. tox. – rep. exp. 1, Acute tox. Derm. 4, Skin corr.1B, Resp. sens. 1, Skin sens. 1, Acute aq. Tox. 1, Chronic aq. Tox. 1; H272,H301,H312,H314,H317,H330,H334, H340,H350,H360,H372,H410
Potassium dichromate	7778-50-9	0.5%	

**Classification according to EU Directive 67/548/EEC and 1999/45/EC**

Component	CAS-No.	Content	Classification
Petrolatum	8009-03-8	95.5%	-
Potassium dichromate	7778-50-9	0.5%	O,T+,N;R45,46,60,61,21,25,26,48/23,8,34,42/43,50/53

For the full text of the H-statements and R-phrases mentioned in this Section, see Section 16.



#### 4. FIRST AID MEASURES

**Emergency and first aid procedures**

Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES\*

**Suitable extinguish media**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents**

Water with full jet.

**Special protective equipment for fire-fighters**

Wear self-contained respiratory protective device. Wear fully protective suit.

\*Data is shown for petrolatum only

#### 6. ACCIDENTAL RELEASES MEASURES

**Steps to be taken if material is released or spilled**

Contain and place in a closed container.

#### 7. HANDLING AND STORAGE

**Precautions to be taken in handling and storage**

Store dark at 5-8°C. Avoid extended exposure to sunlight. FOR EXTERNAL USE ONLY.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Respiratory protection**

Not required.

**Ventilation**

Local exhaust.

**Protective gloves**

Disposal gloves.

**Eye protection**

Not required with normal use.

**Work/Hygienic practices**

Wash hands after each use.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Pale orange Semi-solid
Odour	Odourless
Melting point*	50°C
Boiling point*	No data available
Flash point*	>100°C
Self ignition*	Product does not self ignite.
Danger of explosion*	Product does not present an explosion hazard.
Density*	No data available.



Solubility in/Miscibility with Water\* Insoluble

\*Data is shown for petrolatum only

## 10. STABILITY AND REACTIVITY

### **Incompability**

May react with strong oxidizing agents.

### **Stability**

Stable at recommended storage conditions.

### **Hazardous byproducts**

Combustion may generate CO, CO<sub>2</sub> and other oxides.

### **Hazardous polymerization**

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

No data available.

## 12. ECOLOGICAL INFORMATION

No data available.

## 13. DISPOSAL CONSIDERATIONS

### **Waste disposal method**

Comply with federal, state/provincial and local regulation.

## 14. TRANSPORT INFORMATION

Not dangerous goods.

## 15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

## 16. OTHER INFORMATION

### **Text of H-statements and R-phrases mentioned in Section 3**

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.



Oxidiz. Sol. 2 Oxidizing solids (Category 2)  
Carcinog. 1B Carcinogenicity (Category 1B)  
Germ cell mut. 1B Germ cell mutagenicity (Category 1B)  
Repr. tox. 1B Reproductive toxicity (Category 1B)  
Acute tox. Inhal. 2 Acute toxicity, Inhalation (Category 2)  
Acute tox. Oral 3 Acute toxicity, Oral (Category 3)  
Spec. targ. Org. tox. – rep. exp. 1 Specific target organ toxicity - repeated exposure (Category 1)  
Acute tox. Derm. 4 Acute toxicity, Dermal (Category 4)  
Skin corr. 1B Skin corrosion (Category 1B)  
Resp. sens. 1 Respiratory sensitization (Category 1)  
Skin sens. 1 Skin sensitization (Category 1)  
Acute aq. Tox. 1 Acute aquatic toxicity (Category 1)  
Chronic aq. Tox. 1 Chronic aquatic toxicity (Category 1)  
O Oxidizing  
T+ Very toxic  
N Dangerous for the environment  
R45 May cause cancer.  
R46 May cause heritable genetic damage.  
R60 May impair fertility.  
R61 May cause harm to the unborn child.  
R21 Also harmful in contact with skin.  
R25 Also toxic if swallowed.  
R26 Also very toxic by inhalation.  
R48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.  
R8 Contact with combustible material may cause fire.  
R34 Causes burns.  
R42/43 May cause sensitization by inhalation and skin contact.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.