



# CHEMOTECHNIQUE DIAGNOSTICS

## SAFETY DATA SHEET

P-015

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	Potassium dicyanoaurate(I) 0.1% aq
Article Number	P-015
Applications	Diagnosis of contact allergy.
Manufacturer	Chemotechnique Diagnostics AB Modemgatan 9 SE-235 39 Vellinge
Telephone	+46 (0) 40 466 077 (Monday-Friday 8.00-16.00)
Fax	+46 (0) 40 466 700

### 2. HAZARD IDENTIFICATION

#### Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

#### Signs and symptom of exposure

Dermal irritation.

#### Medical conditions aggravated by exposure

Dermatitis.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component	CAS-No.	Content	Classification
AQUA Purificata	7732-18-5	99.9%	-
Potassium dicyanoaurate(I)	13967-50-5	0.1%	Acute tox. Inhal. 2, Acute tox. Derm. 1, Acute tox. Oral 2, Acute aq. tox. 1, Chron. aq. tox. 1; H300, H310, H330, H410

#### Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component	CAS-No.	Content	Classification
AQUA Purificata	7732-18-5	99.9%	-
Potassium dicyanoaurate(I)	13967-50-5	0.1%	T, N; R26/27/28, R32, R50/53

For the full text of the H-statements and R-phrases mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### Emergency and first aid procedures

Obtain medical attention, if there is discomfort.



# CHEMOTECHNIQUE DIAGNOSTICS

## 5. FIRE-FIGHTING MEASURES\*

No data available.

## 6. ACCIDENTAL RELEASES MEASURES

### Steps to be taken if material is released or spilled

Contain and place in a closed container.

## 7. HANDLING AND STORAGE

### Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to sunlight. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Respiratory protection

Not required.

### Ventilation

Local exhaust.

### Protective gloves

Disposal gloves.

### Eye protection

Not required with normal use.

### Work/Hygienic practices

Wash hands after each use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Transparent, Colorless Liquid
Odour	Odourless
Boiling point*	100°C
Flash point*	No data available.
Self ignition*	Product does not self ignite.
Danger of explosion*	Product does not present as an explosion hazard.
Density*	1.0 g/cm <sup>3</sup>

\*Data is shown for AQUA Purificata only

## 10. STABILITY AND REACTIVITY

### Incompatibility

May react with strong oxidizing agents.

### Stability

Stable at recommended storage conditions.



# CHEMOTECHNIQUE DIAGNOSTICS

## **Hazardous polymerization**

Will not occur.

### **11. TOXICOLOGICAL INFORMATION**

No data available.

### **12. ECOLOGICAL INFORMATION**

No data available.

### **13. DISPOSAL CONSIDERATIONS**

#### **Waste disposal method**

Comply with federal, state/provincial and local regulation.

### **14. TRANSPORT INFORMATION**

Not dangerous goods.

### **15. REGULATORY INFORMATION**

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

### **16. OTHER INFORMATION**

#### **Text of H-statements and R-phrases mentioned in Section 3**

Acute tox. Inhal. 2	Acute toxicity, Inhalation (Category 2)
Acute tox. Derm. 1	Acute toxicity, Dermal (Category 1)
Acute tox. Oral 2	Acute toxicity, Oral (Category 2)
Acute aq. tox. 1	Acute aquatic toxicity (Category 1)
Chron. aq. tox. 1	Chronic aquatic toxicity (Category 1)
H300	Fatal if swallowed
H310	Fatal in contact with skin
H330	Fatal if inhaled
H410	Very toxic to aquatic life with long lasting effects
T	Toxic
N	Dangerous for the environment
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
R32	Contact with acids liberates very toxic gas
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.