

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	Potassium clavulanate 10.0% pet
Article Number	P-040
Applications	Diagnosis of contact allergy.
Manufacturer	Chemotechnique Diagnostics AB Modemgatan 9 SE-235 39 Vellinge
Telephone Fax	+46 (0) 40 466 077 (Monday-Friday 8.00-16.00) +46 (0) 40 466 700

2. HAZARD IDENTIFICATION

Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

Signs and symptom of exposure

Dermal irritation.

Medical conditions aggravated by exposure

Dermatitis.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]						
Component	CAS-No.	Content	Classification			
Petrolatum	8009-03-8	80.0%	-			
Potassium clavulanate	61177-45-5	10.0%	Flamm. solids 2, Eye irrit. 2, Resp. sensit.			
			1, Skin sensit. 1; H228, H317, H319,			
			H334			
Microcrystalline cellulose	9004-34-6	10.0%	-			
Classification according to EU Directive 67/548/EEC and 1999/45/EC						
Component	CAS-No.	Content	Classification			

Page 1/4

Component	CA3-NO.	Content	Classification
Petrolatum	8009-03-8	80.0%	-
Potassium clavulanate	61177-45-5	10.0%	F, Xn; R10, R43, R36/37
Microcrystalline cellulose	9004-34-6	10.0%	-

4. FIRST AID MEASURES

Emergency and first aid procedures Obtain medical attention.

5. FIRE-FIGHTING MEASURES*

Suitable extinguish media

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents

Water with full jet.

Special protective equipment for fire-fighters

Wear self-contained respiratory protective device. Wear fully protective suit.

*Data is shown for petrolatum only

6. ACCIDENTAL RELEASES MEASURES

Steps to be taken if material is released or spilled Contain and place in a closed container.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage Store dark at 5-8°C. Avoid extended exposure to sunlight. FOR EXTERNAL USE ONLY.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection Not required.

Ventilation Local exhaust.

Protective gloves

Disposal gloves.

Eye protection

Not required with normal use.

Work/Hygienic practices

Wash hands after each use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White Semi Solid Odour Odourless Melting point* 50-55° C Boiling point* No data available Flash point* >100°C Self ignition* Product does not self ignite. Danger of explosion* Product does not present an explosion hazard. No data available. Density* Solubility in/Miscibility with Water* Insoluble

*Data is shown for petrolatum only

10. STABILITY AND REACTIVITY

Incompability

May react with strong oxidizing agents.

Stability

Stable at recommended storage conditions.

Hazardous byproducts

Combustion may generate CO, CO2 and other oxides.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste disposal method

Comply with federal, state/provincial and local regulation.

14. TRANSPORT INFORMATION

Not dangerous goods.

15. **REGULATORY INFORMATION**

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

16. OTHER INFORMATION

Text of H-statements and R-phrases mentioned in Section 3

Flamm. solids 2 Eye irrit. 2 Resp. sensit. 1	Flammable solids (Category 2) Eye irritation (Category 2) Respiratory sensitization (Category 1)
Skin sensit. 1 H228	Skin sensitization (Category 1) Flammable solid.
H317	
H319	May cause an allergic skin reaction. Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if
11334	inhaled.
F	Flammable
Xn	Harmful
R10	Flammable
R43	May cause sensitisation by skin contact.
R36/37	Irritating to eyes and respiratory system

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate

handling of the material.